

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: A23B 4/09, A23L 3/375	A1	(11) International Publication Number: WO 97/05783 (43) International Publication Date: 20 February 1997 (20.02.97)
(21) International Application Number: PCT/NO96/00200 (22) International Filing Date: 7 August 1996 (07.08.96) (30) Priority Data: 953082 7 August 1995 (07.08.95) NO (71) Applicants (for all designated States except US): NORSK HYDRO ASA [NO/NO]; N-0240 Oslo (NO). SILDEOLJE-OG SILDEMELEINDUSTRIENS FORSKNINGSINSTITUTT [NO/NO]; Kjerreidviken 16, N-5033 Fyllingsdalen (NO). (72) Inventors; and (75) Inventors/Applicants (for US only): HJØRNEVIK, Leif [NO/NO]; St. Hansgt. 3, N-3714 Skien (NO). JOHNSEN, Freddy [NO/NO]; Grenseveien 28, N-1927 Rånåsfoss (NO). RINGDAL, Ole [NO/NO]; Korpeliv. 35, N-3928 Porsgrunn (NO). MØJELDE, Agnar [NO/NO]; Helldalslia 56, N-5044 Natland (NO). FLESLAND, Ola [NO/NO]; Nordåsneset 51, N-5046 Rådal (NO). (74) Agent: SUNDNES, Arne; Norsk Hydro ASA, N-0240 Oslo (NO).	(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>With amended claims.</i>	
(54) Title: METHOD FOR COOLING AND PRESERVATION OF FISH AND PRODUCTS MADE FROM FISH SUBJECTED TO SUCH TREATMENT		
(57) Abstract <p>The present invention relates to a method of cooling and preservation of fish and fish products from thus treated fish. The fish is cooled by means of a cooling medium in tanks, containers or other suitable facilities, and also subjected to treatment of at least one preservative agent. The fish is subjected to a combined treatment of a cooling medium and a preservative agent and said treatment is performed by means of a cooling medium comprising C₁₋₄ monocarboxylic acids and/or mono/di or tetra salts of alkali- and/or earth alkali salts of said acids. The cooling is performed by means of a cooling medium, being an aqueous solution of C₁₋₄ monocarboxylic salts in a concentration of 5-30 weight % salts and 95-70 % weight water, or binary ice comprising a preservative agent. The most preferred brine or binary ice comprises potassium formate and/or potassium diformate and/or formic acid. The pH of the brine can be adjusted by addition of an acid or disalt being the equivalent of the monosalt applied in the brine.</p>		

BEST AVAILABLE COPY

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

Method for cooling and preservation of fish and products made from fish subjected to such treatment

The present invention relates to a method for cooling and preservation of fish and for products made from fish treated according to said method. The method comprises cooling of the fish by means of a cooling medium in tanks, containers or other suitable facilities.

The problems with present technology in this field are the quality of the raw material delivered to factories etc. for further processing, both with regard to consistency and degradability due to enzymatic and bacterial activity.

It is generally known to cool down the fish raw material to temperatures of 0° to -5°C in order to slow down the degrading bacterial activity. The fish might for instance be cooled down in tanks on board the ship by circulating sea water or fresh water. The main problem with using sea water is that the NaCl content of the raw material gets too high, thereby giving too high content of this salt in the fish meal. A further consequence of this is that the price the fisherman gets for the fish might decrease with increasing content of NaCl in the fish delivered.

Cooling of the raw material by means of ice or ice-slurry is also generally known. A special type of ice slurry is called binary ice which is a suspension of ice crystals in an aqueous solution. Cooling of for instance fish on board a trawler by

means of binary ice will generally cool the fish much quicker than with chilled sea water only. Binary ice as a secondary refrigerant is further described in a paper by J Paul in the 19th International Congress of Refrigeration 1995. Proceedings, Volume IVb, pages 947-954.

Application of preservative agents is also generally known in the art. Thus it is known to add acetic acid or a mixture of acetic acid and about 15 weight% sulphuric acid. The application of acetic acids does, in spite of giving improved quality of the raw material, have several disadvantages. The acid is corrosive to the equipment and requires expensive high quality steel. Those working with this acid have to protect themselves against etching effects of the acid. Further, in order to attain preservative effect the pH should be about 6, but this might cause problems with this acidic agent, as $\text{pH} < 6$ could result in autolyses and give problems with the consistency of the fish raw material.

The above known technology is described in the following reports from "Norwegian Herring Oil and Meal Industry Research Institute" (SSF):

Reports from SSF No. 1, 1991, pages 17-20:

"Longterm preservation of winter capelin"

By Mr. Agnar Mjelde

Reports from SSF No. 2, 1990, pages 7-12:

"Fresh watercooling of blue whiting"

By Mr. Tor Larsen

Reports from SSF No. 1, 1989, pages 4-8:

"Preservation by acetic acid ready for practical use?"

By Mr. Tor Larsen

The main object of the present invention was to develop a new method for treatment of fish to attain a fish raw material which could be stored for an extended period of time and still have improved quality both with regard to consistency and composition implying being less degraded than that experienced with presently available technology.

Another object was to obtain fish products having improved quality and being low in NaCl content.

From previous experience it was known that cooling of the fish, and preferably as rapidly as possible, had a positive effect on retarding the degrading activity of the raw material. The inventors therefore started by looking into the cooling step of the treatment process. Application of sea water had been found to have some disadvantages, and the first problem was to find a new and useful cooling medium. To avoid contamination of the fish by NaCl one looked for other salts which could give a brine having crystallization temperatures being suitable for cooling the fish down to about -5°C . In this connection it was also considered how the preservative aspects could be taken care of. Knowing that acetic acid had some preservative effects, one investigated salts of the acid and similar acids. It was then found that salts of C_{1-4} monocarboxylic acids possibly would have the desired preservative effects. Such salts include also double or di-/tetra salts of such acids. Further investigations proved that these salts, if added in suitable concentrations to the fish raw material, would retard the undesired degrading activity. During these investigations various aqueous mixtures of such salts were made and the crystallization temperatures of the mixtures were measured. It was then found that useful brines for cooling the fish could be based on aqueous salt solutions of C_{1-4} monocarboxylic acid salts. Special tests were performed using aqueous mixtures of potassium formate. Such mixtures gave a pH of about 8, which was considered to be somewhat high as the desired pH would be pH 6-7,

but this could easily be adjusted by adding minor amounts of formic acid or potassium diformate to the solution or brine.

It was found that alkali and/or earth alkali salts of said C_{1-4} acids could be used for preparation of useful brines. The most preferred salt would be potassium-, sodium-, or ammonium salts of said acids, and the most preferred acid proved to be formic acid. It is also preferred to use only one type of salt and adjust the pH with the equivalent acid, for instance potassium formate and/or potassium diformate having its pH adjusted with formic acid. However, it is within the inventive concept to make the brine from mixtures of mono/di- or tetra salts of C_{1-4} monocarboxylic acids.

The concentration of formate, acetate etc. in the brine should be above 5-7 weight% to avoid bacterial growth during storage of the fish. Further tests showed that the brine should have 5-30 weight% salts of C_{1-4} monocarboxylic acids and 95-70 weight% water. Such brines would give a temperature of the brine of about -2 to -20°C, whereby the fish could be cooled to 0 to -7°C. The fish was preferably cooled down to the region of -2 to -4°C.

Based on the positive result of forming brines from the acid salts, the question of using a similar concept applying ice or ice-slurries was raised. The possibility of applying binary ice as cooling medium was considered to be the most interesting concept. Investigations were therefore started regarding formation of binary ice from solutions comprising preservatives like C_{1-4} acids or their salts. Various solutions of such salts and/or their acids were made, and then these solutions were diluted with water and binary ice were made. The formed slurry was then drained with respect to liquid, and a thick slurry was formed comprising about 40% liquid and about 60% ice. This slurry was then used for cooling and preserving the fish raw material. Special test series were performed on slurry made from potassium diformate and formic acid in a ratio of about 3:1. This solution was diluted with water till it contained 7 weight% of the formate/formic

acid solution. Treatment of fish raw material with binary ice from said solution was then compared with treatment of the raw material with ice. During these tests 25% of binary ice and 15% of pure ice, respectively, were used compared to the fish raw material. It was then found that the binary ice comprising preservative gave far better results than application of ice with regard to rapid cooling, preservation, development of volatile nitrogen and consistency of the raw material which could be stored for a surprisingly long period compared to conventionally treated raw material. The meal product from thus treated fish raw material was then analyzed with regard to absorption of potassium, formate, and free volatile nitrogen. The results of these analyses showed that the product quality was excellent. Further investigations showed that similar effects could be obtained with other cooling media by applying binary ice formed from aqueous solutions containing a preservative comprising C_{1-4} monocarboxylic acids and/or their salts.

Treatment according to the invention of the fish could be made in different ways. Thus the fish could be cooled down in tanks with circulating brine or ice slurry comprising preservative. The coolant could be removed when the fish had attained the desired temperature. Then, during unloading and/or storage at the factory, additional treatment of the fish with such coolant could be performed. The type of fish for which the new method is applicable comprises fish subject to processing to meal, oil etc. Even some types of consumer fish could be subject to similar treatment. The most common will be herring, sand eel, mackerel, caplin and blue whiting.

Thus, according to the invention the fish is subjected to a combined treatment of a cooling medium and a preservative agent. Said treatment is preferably performed by means of a cooling medium comprising C_{1-4} monocarboxylic acids and/or mono/di or tetra salts of ammonium or alkali- and/or earth alkali salts of said acids.

According to one feature of the invention the cooling is performed by means of a brine, being an aqueous solution of C_{1-4} monocarboxylic salts in a concentration of 5-30 weight% salts and 95-70 weight% water. Preferably the brine comprises substantially an aqueous solution of potassium formate and/or potassium diformate, and the brine has a concentration of 5-30 weight% of said salts.

The pH of the brine can be adjusted to pH 6-7 by addition of an acid or disalt being the equivalent of the monosalt applied in the brine.

The fish can be given a cooling and preservative treatment immediately after being caught and also at unloading and/or storage before being processed to meal, oil etc.

Another feature of the invention comprises that there is applied a cooling medium consisting of a mixture of ice and liquid comprising a preservative agent. The most preferred ice/liquid mixture is in the form of binary ice or an ice-slurry comprising a preservative. The binary ice should contain 1-6 weight% of a preservative, preferably potassium diformate and/or formic acid.

Products according to the invention comprise fish meal or oil made from raw material subjected to a combined treatment of cooling and preservative. The fish meal according to the invention should have a content of NaCl being <0.5 weight%.

Further, the product can be fish partially frozen by the applied cooling medium comprising a preservative.

The scope and special features of the invention are as defined by the attached claims.

The invention will be further explained in the following examples.

Example 1

The crystallization temperatures for brines containing 0-15 weight% potassium formate were investigated. The experiments were performed in a 200 ml jacketed glass vessel connected to a thermostated circulator with high accuracy and agitated with a magnetic stirrer. The temperature measurement in the vessel was done with a temperature sensor calibrated to give an accuracy of $\pm 0.1^{\circ}\text{C}$ and it was connected to a continuous plotter. The brine in the vessel was slowly cooled until crystallization started. The plotter made it possible to watch the supercooling before crystallization occurred. The approximately constant temperature observed in the ice slurry some time after crystallization, was registered as the crystallization temperature. The results of the experiments are shown in the following table.

Table 1

Concentration weight%	Crystallization temperature $^{\circ}\text{C}$
0.00	0.0
3.00	-1.3
6.00	-2.7
9.00	-4.8
12.95	-7.4

Example 2

This example shows the effect on sand eel cooled in a brine containing 9 weight% potassium formate and having a crystallization temperature of -4.8°C . The fish was cooled till the temperature in the fish raw material was -2.5°C before the

brine was drained off. Then the fish was stored for two days and its NaCl content was measured to 0.3%, which is very low compared to 1.5-2% in sea water cooled fish. Volatile nitrogen was found to be substantially lower than that for sea water cooled fish. When such a raw material was further processed to meal, the press cake was found to have far better consistency than normally experienced, indicating lower loss of valuables to the filtrate. The NaCl content of the meal was lower than in meal from sea water cooled fish, corresponding to the difference observed in the raw material.

Example 3

This example shows treatment of fish raw material from sand eel by ice from fresh water and a binary ice cooling medium, respectively. The binary ice is made from a solution containing 7 weight% of a preservative. Three parts solid potassium diformate and one part 85% formic acid were diluted in water to form the 7% solution.. This solution gave an initial freezing point of -3°C . It was then produced a binary ice slurry, and liquid was drained from the slurry till it contained about 40% liquid and about 60% ice. The resulting cooling medium contained 2.8% of the preservative. 25% of this binary ice slurry and 15% of pure ice compared to the amount of fish raw material will have about the same cooling effect. In this example and its Table II, binary ice means a binary ice comprising a preservative.

868 kg fresh sand eel were placed in five 400 litre vessels for treatment with fresh water ice or the above described binary ice. The results of the treatments were measured with regard to quality of the products expressed as Total Volatile Nitrogen (TVN, mg N/100 grams) as function of storage time in days. The results are shown in the following Table II.

Table II

Vessel	Fish Kg	Treat-ment (ice)	Cool-ant. Ratio%	TVN Day 0	TVN Day 1	TVN Day 2	TVN Day 3	TVN Day 4	TVN Day 5	TVN Day 6	TVN Day
1	300	Binary	25	13.8	9.2	11.5	16.1				
2	300	Pure	15	13.8	14.9	27.0	28.11				
3	100	Binary	25	13.8	13.2	21.2	20.7	28.7	44.8		
4	100	Pure	15	13.8	20.7	41.3	55.1	84.4	105		
5	68	Binary	25	13.8	10.3	18.9	16.1	31	27.6	39.6	101

Day 0 indicates start of the experiments, before that the fish was stored about 17 hours at 8-9°C.

As can be seen from Table II, fish treated according to the invention, i.e with binary ice comprising preservative, got far lower TVN values during storage than fish treated with pure ice. Thus, after 5 days of storage volatile nitrogen was only 44.8 mg/100 gram for fish treated according to the invention compared to 105 mg/100 gram for fish treated with pure ice.

Analysis of meal and oil from fish raw material treated according to this experiment showed that these products contain only slightly higher values for potassium and formate content when the fish was treated with the binary ice than when it was treated with pure ice. The increase in potassium content was 0.13-0.19% in the raw material resulting in an increase in the meal of 0.72-0.78%. The formate content in raw material increased 0.44-0.62%, resulting in an increase in the meal of 2.4-2.6%. Said increases did not reduce the quality of the final products and are of no importance compared to the great advantages obtained in reduction of TVN.

Further investigations showed that the concentration of preservative in the binary ice could be varied within fairly wide limits. However, the most practical limits

when potassium diformate/formic acid were used proved to be in the range 2-6%, preferably 3-4.5% preservative in the applied binary ice slurry. Corresponding ranges were found for the other C_{1-4} salts and corresponding acids.

Tests were also performed using formic acid, acetic acid, and potassium diformate, respectively, as preservative agent in the cooling medium. These test showed similar results with regard to reduction in TVN value compared with those for pure ice. Application of pure acids were however considered negative because of their negative properties with regard to corrosion and environment/working conditions.

Partial freezing of fish for consume by means of the above type binary ice comprising preservative were also tested. Especially small fish like caplin and herring gave most acceptable products.

By the present invention the inventors have succeeded in arriving at a new and improved method for treatment of fish for consumption or prior to its processing to meal etc. The quality of the raw material and the finished products are better than known ones and the process does not have the limitations and disadvantages of known processes. The unique combination of a cooling medium, ice slurry, including binary ice, and brine, with a preservative agent gives a cost efficient total treatment process which extends the period of time the fish can be stored before being processed and still giving high yield of high quality products. The coolant and preservative agent is not hazardous to the people which can be exposed to it.

Claims

1. Method of cooling and preservation of fish, comprising cooling the fish by means of a cooling medium in tanks, containers or other suitable facilities, and application of at least one preservative agent, characterized in that the fish is subjected to a combined treatment of a cooling medium and a preservative agent.
2. Method according to claim 1, characterized in that the combined treatment is performed by means of a cooling medium comprising C_{1-4} monocarboxylic acids and/or mono/di or tetra salts of ammonium or alkali- and/or earth alkali salts of said acids.
3. Method according to claim 1, characterized in that the cooling is performed by means of a brine, being an aqueous solution of C_{1-4} monocarboxylic salts in a concentration of 5-30 weight% salts and 5-70 weight% water.
4. Method according to claim 1, characterized in that a brine being substantially an aqueous solution of potassium formate and/or potassium diformate is applied as cooling medium and that the brine has a concentration of 5-30 weight% of said salts.
5. Method according to claim 1, characterized in that the pH of the brine is adjusted to pH 6-7 by addition of an acid or disalt being the equivalent of the monosalt applied in the brine.

6. Method according to claim 1,
characterized in that
the fish is given a cooling and preservative treatment immediately after
being caught and also at unloading and/or storage before being
processed to meal, oil etc.
7. Method according to claim 1,
characterized in that
there is applied a cooling medium consisting of a mixture of ice and
liquid comprising a preservative agent.
8. Method according to claim 1,
characterized in that
there is applied a cooling medium being a mixture of liquid and ice in the
form of binary ice or an ice-slurry comprising a preservative.
9. Method according to claim 1,
characterized in that
there is applied a binary ice containing 1-6 weight% of a preservative
comprising potassium diformate and/or formic acid.
10. Fish product,
characterized in that
the product is made from fish subjected to a combined treatment of a
cooling medium and a preservative agent.

11. Fish product according to claim 10,
characterized in that
the product is made from fish subjected to a combined treatment of a
cooling medium comprising C_{1-4} monocarboxylic acids and/or mono/di or
tetra salts of ammonium or alkali- and/or earth alkali salts of said acids.
12. Fish product from fish treated according to claim 1-9,
characterized in that
the product is fish partially frozen by the applied cooling medium
comprising a preservative.

AMENDED CLAIMS

[received by the International Bureau on 12 December 1996 (12.12.96);
original claims 1-12 replaced by amended claims 1-8 (2 pages)]

1. Method of cooling and preservation of fish, comprising cooling the fish by means of a cooling medium in tanks, containers or other suitable facilities, and that the fish is subjected to a combined treatment of a cooling medium and a preservative agent,
characterized in that
the combined treatment is performed by means of a cooling medium comprising formic acid and/or mono/di or tetra salts of ammonium or alkali- and/or earth alkali salts of said acid.
2. Method according to claim 1,
characterized in that
the cooling is performed by means of a brine, being an aqueous solution of formic acid salts in a concentration of 5-30 weight% salts and 5-70 weight% water.
3. Method according to claim 1,
characterized in that
a brine being substantially an aqueous solution of potassium formate and/or potassium diformate is applied as cooling medium and that the brine has a concentration of 5-30 weight% of said salts.
4. Method according to claim 1,
characterized in that
the pH of the brine is adjusted to pH 6-7 by addition of formic acid or disalt being the equivalent of the monosalt applied in the brine.

5. Method according to claim 1,
characterized in that
there is applied a cooling medium being a mixture of liquid and ice in the
form of binary ice or an ice-slurry comprising a preservative.
6. Method according to claim 1,
characterized in that
there is applied a binary ice containing 1-6 weight% of a preservative
comprising potassium diformate and/or formic acid.
7. Fish product,
characterized in that
the product is made from fish subjected to a combined treatment of a
cooling medium comprising formic acid and/or mono/di or tetra salts of
ammonium or alkali- and/or earth alkali salts of said acid.
8. Fish product from fish treated according to claims 1-6,
characterized in that
the product is fish partially frozen by the applied cooling medium
comprising a preservative.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/NO 96/00200

A. CLASSIFICATION OF SUBJECT MATTER

IPC6: A23B 4/09, A23L 3/375

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: A23B, A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X β	GB 1255205 A (PROGIL), 1 December 1971 (01.12.71), page 1, line 8 - line 28; page 1, line 47 - line 61; page 2, line 11 - line 31, claims 1-26	1-12
Y β	EP 0463284 A2 (MICROLIFE TECHNIQS, INC.), 2 January 1992 (02.01.92), abstract	1-2, 10-11
A	Patent Abstracts of Japan, Vol 12, No 75, C-480, abstract of JP, A, 62-210944 (CHIBA SEIFUN K.K.), 17 Sept 1987 (17.09.87)	1-12

☒ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "B" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

Date of mailing of the international search report

15 November 1996

25 - 11 - 1996

Name and mailing address of the ISA/
Swedish Patent Office
Box 5055, S-102 42 STOCKHOLM
Facsimile No. +46 8 666 02 86

Authorized officer

Inger Löfgren
Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT

International application No.

PCT/NO 96/00200

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	Orbit Search Service, File WPAT, Accession number 93-039162/05, (KAWASAKI K. et al), JP04360643, 92.12.14 (9305), abstract --	1,10
X,P	Orbit Search Services, File WPAT, Accession number 95-347391/45, (KAWAZAKI H et al), JP07236414, 95.09.12 (9545) abstract --	1-2,10-11
X	NO 161595 B (EINAR HARAM), 29 May 1989 (29.05.89), page 2, line 7 - line 16, claim 1, abstract	1,10
Y	page 2, line 7 - line 16, claim 1, abstract -----	2,5,10,11

INTERNATIONAL SEARCH REPORT
Information on patent family members

28/10/96

International application No.

PCT/NO 96/00200

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB-A- 1255205	01/12/71	DE-A,B,C 1921670	21/05/70
		FR-E- 95868	12/11/71
		NL-A- 6906353	31/10/69
		FR-A- 1587601	27/03/70
		US-A- 3600198	17/08/71
EP-A2- 0463284	02/01/92	AU-B- 624038	28/05/92
		AU-A- 7297991	07/11/91
		CA-A- 2033853	25/10/91
		DE-D- 69100877	00/00/00
		JP-A- 4349846	04/12/92
		US-A- 5173319	22/12/92
		US-A- 5219603	15/06/93
NO-B- 161595	29/05/89	NONE	

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.